Atherosclerosis, 77 (1989) 259–261
Elsevier Scientific Publishers Ireland, Ltd.

Author Index (Vol. 77)

Al-Khafaji, M., see Al-Muhtaseb, N. (77) 131
Al-Muhtaseb, N., Hayat, and Al-Khafaji, M.
Lipoproteins and apolipoproteins in young male survivors of myocardial infarction (77) 131
Albers, J.J., see Faust, R.A. (77) 77
Allen, D.R., Browse, N.L. and Rutt, D.L.
Effects of cigarette smoke, carbon monoxide and nicotine on the uptake of fibrinogen by the canine arterial wall (77) 83
Anan, M., see Takeo, S. (77) 175
Anderson, R.A., Burns, T.L., Lee, J., Swenson, D. and Bristow, J.L.
Restriction fragment length polymorphisms associated with abnormal lipid levels in an adolescent population (77) 227
Anderton, J.L., see Notghi, A. (77) 215
Arakawa, K., see Handa, K. (77) 209

Barbir, M., see Myant, N.B. (77) 193
Beynen, A.C., Meijer, G.W., Lemmens, A.G., Glatz, J.F.C., Versluis, A., Katan, M.B. and Van Zutphen, L.F.M.
Sterol balance and cholesterol absorption in inbred strains of rabbits hypo- or hyperresponsive to dietary cholesterol (77) 151
Bianchi, F.B., see Muscari, A. (77) 251
Bonazzi, C., see Muscari, A. (77) 251
Bondjers, G., see Lindén, T. (77) 159
Bowyer, D.E., see Davis, J.B. (77) 203
Bozzoli, C., see Muscari, A. (77) 251
Brenninkmeijer, B.J., see Swinkels, D.W. (77) 59
Bristow, J.L., see Anderson, R.A. (77) 227
Browse, N.L., see Allen, D.R. (77) 83
Buddecke, E., see Völker, W. (77) 117
Burks, C., Hong, S., Ho, M. and Engelman, D.M.
Limitations of the lipid state hypothesis for atherosclerosis are revealed by X-ray diffraction measurements (77) 43
Burns, T.L., see Anderson, R.A. (77) 227

Cheung, M.C., see Faust, R.A. (77) 77
Clarkson, C.A.S.T.B. and Kaplan, J.R.
Social deprivation and coronary artery atherosclerosis in female cynomolgus monkeys (77) 69
Crook, D., see Rajput-Williams, J. (77) 31

Davis, J.B. and Bowyer, D.E.
Macrophages modify β-VLDL by proteolysis and enhance subsequent lipid accumulation in arterial smooth muscle cells (77) 203

Delcroix, C., see Malmendier, C.L. (77) 139
Demacker, P.N.M., see Swinkels, D.W. (77) 59
De Roy, L., see Malmendier, C.L. (77) 139
Dubelaar, M.-L., see Groot, P.H.E. (77) 1
Dubois, D.Y., see Malmendier, C.L. (77) 139
Dyerberg, J., see Schmidt, E.B. (77) 53

Ekelund, S., see Schmidt, E.B. (77) 53
Engelman, D.M., see Burks, C. (77) 43
Eyre, J., see Rajput-Williams, J. (77) 31

Fager, G., see Lindén, T. (77) 159
Faust, R.A., Cheung, M.C. and Albers, J.J.
Secretion of cholesteryl ester transfer protein–lipoprotein complexes by human HepG2 hepatocytes (77) 77
Fidanza, F., see Rubba, P. (77) 25
Frohlich, J., see Sparks, D.L. (77) 183
Fujioka, K., see Takeo, S. (77) 175

Gallagher, J., see Myant, N.B. (77) 193
Gerratana, C., see Muscari, A. (77) 251
Gey, K.F., see Rubba, P. (77) 25
Glatz, J.F.C., see Beynen, A.C. (77) 151
Groot, P.H.E., Scheek, L.M., Dubelaar, M.-L., Verdouw, P.D., Hartog, J.M. and Lamers, J.M.J.
Effects of diets supplemented with lard fat or mackerel oil on plasma lipoprotein lipid concentrations and lipoprotein lipase activities in domestic swine (77) 1
Grunnet, N., see Schmidt, E.B. (77) 53
Gums, J.G., see Marken, P.A. (77) 37

Handa, K., Kono, S., Saku, K., Sasaki, J., Kawano, T., Sasaki, Y., Hiroki, T. and Arakawa, K.
Plasma fibrinogen levels as an independent indicator of severity of coronary atherosclerosis (77) 209
Hartog, J.M., see Groot, P.H.E. (77) 1
Hayat, N., see Al-Muhtaseb, N. (77) 131
Hendriks, J.C.M., see Swinkels, D.W. (77) 59
Hiraga, S., see Takeo, S. (77) 175
Hiroki, T., see Handa, K. (77) 209
Hjelms, E., Nordestgaard, B.G., Stender, S. and Kjeldsen, K.
A surgical model to study in vivo efflux of cholesterol from porcine aorta. Evidence for cholesteryl ester transfer through the aortic wall (77) 239
Ho, H.-T., Kim, D.N. and Lee, K.T.
Intestinal apolipoprotein B-48 synthesis and lymphatic cholesterol transport are lower in swine fed high fat, high cholesterol diet with soy protein than with casein (77) 15

Ho, M., see Burks, C. (77) 43
Hong, S., see Burks, C. (77) 43
Humphries, S.E., see Myant, N.B. (77) 193

Jersild, C., see Schmidt, E.B. (77) 53

Kajihara, T., see Takeo, S. (77) 175
Kaplan, J.R., see Clarkson, C.A.S.T.B. (77) 69
Katan, M.B., see Beynen, A.C. (77) 151
Kawano, T., see Handa, K. (77) 209
Kim, D.N., see Ho, H.-T. (77) 15
Kjeldsen, K., see Hjelms, E. (77) 239
Kono, S., see Handa, K. (77) 209
Koren, E., see McConathy, W.J. (77) 221

Lacko, A.G., see Sparks, D.L. (77) 183
Lamers, J.M.J., see Groot, P.H.E. (77) 1
Leccia, G., see Rubba, P. (77) 25
Lee, J., see Anderson, R.A. (77) 227
Lee, K.T., see Ho, H.-T. (77) 15
Lemmens, A.G., see Beynen, A.C. (77) 151
Lewis, J.C. and Taylor, R.G.
Effects of varying dietary fatty acid ratios on plasma lipids and platelet function in the African green monkey (77) 167
Lindén, T., Bondjers, G., Fager, G., Olofsson, S.-O. and Wiklund, O.
Apolipoprotein B in human aortic biopsies in relation to serum lipids and lipoproteins (77) 159
Lontie, J.-F., see Malmendier, C.L. (77) 139
Lopes-Virella, M.F., see Marken, P.A. (77) 37

Magot, T., see Malmendier, C.L. (77) 139
Malmendier, C.L., Lontie, J.-F., Delcroix, C., Dubois, D.Y., Magot, T. and De Roy, L.
Apolipoproteins C-II and C-III metabolism in hypertriglyceridemic patients. Effect of a drastic triglyceride reduction by combined diet restriction and fenofibrate administration (77) 139
Mancini, M., see Rubba, P. (77) 25
Marken, P.A., Weart, C.W., Stier Carson, D., Gums, J.G. and Lopes-Virella, M.F.
Effects of magnesium oxide on the lipid profile of healthy volunteers (77) 37
Marniemi, J., see Rönnemaa, T. (77) 7
McConathy, W.J., Koren, E. and Stiers, D.L.
Cholesterol crystal uptake and metabolism by P388D_1 macrophages (77) 221
Meijer, G.W., see Beynen, A.C. (77) 151
Miller, N.E., see Rajput-Williams, J. (77) 31
Minematsu, R., see Takeo, S. (77) 175
Miyake, K., see Takeo, S. (77) 175
Mori, H., see Takeo, S. (77) 175
Muscari, A., Volta, U., Bonazzi, C., Puddu, G.M., Bozzoli, C., Gerratana, C., Bianchi, F.B. and Puddu, P.
Association of serum IgA antibodies to milk antigens with severe atherosclerosis (77) 251
Myant, N.B., Gallagher, J., Barbir, M., Thompson, G.R., Wile, D. and Humphries, S.E.
Restriction fragment length polymorphisms in the apo B gene in relation to coronary artery disease (77) 193

Nanjee, M.N., see Rajput-Williams, J. (77) 31
Nordestgaard, B.G., see Hjelms, E. (77) 239
Notghi, A., Riemersma, R.A., Anderton, J.L. and Oliver, M.F.
Effect of pindolol versus atenolol on lipid profile in hypertensive patients (77) 215

Oliver, M.F., see Notghi, A. (77) 215
Olofsson, S.-O., see Lindén, T. (77) 159

Pedersen, J.O., see Schmidt, E.B. (77) 53
Pritchard, P.H., see Sparks, D.L. (77) 183
Puddu, G.M., see Muscari, A. (77) 251
Puddu, P., see Muscari, A. (77) 251

Rajput-Williams, J., Eyre, J., Nanjee, M.N., Crook, D., Scott, J. and Miller, N.E.
Plasma lipoprotein lipids in relation to the *Msp*I polymorphism of the apolipoprotein AII gene in Caucasian men. Lack of association with plasma triglyceride concentration (77) 31
Riemersma, R.A., see Notghi, A. (77) 215
Riemersma, R.A., see Rubba, P. (77) 25
Rönnemaa, T., Viikari, J. and Marniemi, J.
Lecithin:cholesterol acyltransferase activity in children and young adults (77) 7
Rubba, P., Mancini, M., Fidanza, F., Leccia, G., Riemersma, R.A. and Gey, K.F.
Plasma vitamin E, apolipoprotein B and HDL-cholesterol in middle-aged men from Southern Italy (77) 25
Rutt, D.L., see Allen, D.R. (77) 83

Saku, K., see Handa, K. (77) 209
Sasaki, J., see Handa, K. (77) 209
Sasaki, Y., see Handa, K. (77) 209
Scheek, L.M., see Groot, P.H.E. (77) 1
Schmidt, A., see Völker, W. (77) 117
Schmidt, E.B., Pedersen, J.O., Ekelund, S., Grunnet, N., Jersild, C. and Dyerberg, J.
Cod liver oil inhibits neutrophil and monocyte chemotaxis in healthy males (77) 53
Schwenke, D.C. and Zilversmit, D.B.
The arterial barrier to lipoprotein influx in the hypercholesterolemic rabbit. 1. Studies during the first two days after mild aortic injury (77) 91
Schwenke, D.C. and Zilversmit, D.B.
The arterial barrier to lipoprotein influx in the hypercholesterolemic rabbit. 2. Long-term studies in deendothelialized and reendothelialized aortas (77) 105
Scott, J., see Rajput-Williams, J. (77) 31
Sparks, D.L., Frohlich, J., Lacko, A.G. and Pritchard, P.H.
Relationship between cholesteryl ester transfer activity and high density lipoprotein composition in hyperlipidemic patients (77) 183
Stender, S., see Hjelms, E. (77) 239
Stier Carson, D., see Marken, P.A. (77) 37

Stiers, D.L., see McConathy, W.J. (77) 221
Stuyt, P.M.J., see Swinkels, D.W. (77) 59
Swenson, D., see Anderson, R.A. (77) 227
Swinkels, D.W., Demacker, P.N.M., Hendriks, J.C.M., Brenninkmeijer, B.J. and Stuyt, P.M.J.
The relevance of a protein-enriched low density lipoprotein as a risk for coronary heart disease in relation to other known risk factors (77) 59

Takeo, S., Anan, M., Fujioka, K., Kajihara, T., Hiraga, S., Miyake, K., Tanonaka, K., Minematsu, R., Mori, H. and Taniguchi, Y.
Functional changes of aorta with massive accumulation of calcium (77) 175
Taniguchi, Y., see Takeo, S. (77) 175
Tanonaka, K., see Takeo, S. (77) 175
Taylor, R.G., see Lewis, J.C. (77) 167
Thompson, G.R., see Myant, N.B. (77) 193

Van Zutphen, L.F.M., see Beynen, A.C. (77) 151
Verdouw, P.D., see Groot, P.H.E. (77) 1
Versluis, A., see Beynen, A.C. (77) 151
Viikari, J., see Rönnemaa, T. (77) 7
Völker, W., Schmidt, A. and Buddecke, E.
Cytochemical changes in a human arterial proteoglycan related to atherosclerosis (77) 117
Volta, U., see Muscari, A. (77) 251

Weart, C.W., see Marken, P.A. (77) 37
Wiklund, O., see Lindén, T. (77) 159
Wile, D., see Myant, N.B. (77) 193

Zilversmit, D.B., see Schwenke, D.C. (77) 91; (77) 105

Atherosclerosis, 77 (1989) 263–264
Elsevier Scientific Publishers Ireland, Ltd.

Subject Index (Vol. 77)

Acetylcholine (77) 175
Age (77) 7
Animal protein (77) 15
Antihypertensive treatment (77) 215
Aorta (77) 175
Aortic cholesterol accumulation (77) 105
Aortic permeability (77) 91; (77) 105
Apo A-II gene (77) 31
Apo B gene (77) 193
Apo C-II and C-III metabolism (77) 139
Apolipoprotein A-II (77) 31
Apolipoprotein B (77) 25; (77) 59
Apolipoprotein E phenotype (77) 59
Apolipoproteins (77) 227
Apolipoproteins A-I, A-II, B (77) 131
Area of residence (77) 7
Arterial cholesterol (77) 239
Arteriosclerosis (77) 37
Atherosclerosis (77) 43; (77) 53; (77) 83; (77) 117; (77) 159; (77) 203; (77) 251
Autopsy (77) 117

Beta-blocker (77) 215
Body mass index (77) 7

Calcification (77) 175
Carbon monoxide (77) 83
Cholesterol (77) 1
Cholesterol absorption (77) 15; (77) 151
Cholesterol crystals (77) 221
Cholesterol efflux (77) 91; (77) 105; (77) 239
Cholesterol ester (77) 221
Cholesterol influx (77) 91; (77) 105
Cholesteryl ester (77) 43; (77) 239
Cholesteryl ester transfer protein (77) 77; (77) 183
Cigarettes (77) 83
Cod liver oil (77) 53
Contraction (77) 175
Coronary arteriogram (77) 209
Coronary artery atherosclerosis (77) 69
Coronary artery disease (77) 59; (77) 193
Coronary bypass surgery (77) 159
Coronary disease (77) 37
Coronary heart disease (77) 209
Coronary risk factor (77) 209
Cuprolinic blue (77) 117
Cytochemistry (77) 117

Deendothelialized aorta (77) 105
Dietary cholesterol (77) 151
Dietary lipids (77) 167
Dietary restriction (77) 139
Diets (77) 1

Enzyme-linked immunosorbent assay (ELISA) (77) 251
Epinephrine (77) 175
Excretion of steroids (77) 151

Fatty streak (77) 43
Fenofibrate therapy (77) 139
Fibrinogen (77) 83; (77) 209
Fish oil (77) 1
Foam cell (77) 43

Genetic markers (77) 227

HDL-cholesterol (77) 25; (77) 59; (77) 227
HepG2 hepatocytes, human (77) 77
High density lipoprotein (77) 183
Human artery (77) 117
Hyperlipidemia (77) 15
Hyperlipidemic patients (77) 183
Hyperlipoproteinemia (77) 37; (77) 59
Hypertension (77) 215
Hypertriglyceridemia (77) 31; (77) 227
Hypertriglyceridemic patients (77) 139
Hypervitaminosis D (77) 175

IgA (77) 251
Immunoaffinity chromatography (77) 77
Inbred rabbits (77) 151
Inflammatory diseases (77) 53
Injured rabbit aorta (77) 91; (77) 105
Intimal apo B (77) 159
In vivo kinetics (77) 139
Isoproterenol (77) 175

Lard fat (77) 1
LDL cholesterol (77) 37
Lecithin : cholesterol acyltransferase (77) 7
Lipids, HDL cholesterol (77) 37
Lipid state hypothesis (77) 43
Lipoprotein (77) 15; (77) 37; (77) 167
Lipoprotein heterogeneity (77) 139
Lipoprotein lipase (77) 1

Lipoprotein particles (77) 77
Lipoproteins (77) 1; (77) 7; (77) 131; (77) 159; (77) 215
Liquid crystal (77) 43

Macrophages (77) 203; (77) 221
Magnesium oxide (77) 37
Milk antibodies (77) 251
Modification (77) 203
Monocyte chemotaxis (77) 53
Myocardial infarction (77) 131

Neutrophil chemotaxis (77) 53
$n-3$ fatty acids (77) 53
Nicotine (77) 83
Nonhuman primates (77) 69
Norepinephrine (77) 175

Oral contraceptives (77) 7

Plasma cholesterol (77) 151
Platelet (77) 167
Prostaglandin $F_{2\alpha}$ (77) 175
Protein-enriched LDL (77) 59
Proteoglycans (77) 117

Reendothelialized aorta (77) 105
Restriction fragment length polymorphism (77) 31; (77) 193
Reverse cholesterol transport (77) 239

Secretion (77) 77
Serotonin (77) 175
Serum lipids (77) 7
Sex (77) 7
Smoking (77) 7
Smooth muscle cell (77) 203
Social deprivation (77) 69
Synthesis (77) 77

Thrombosis (77) 167
Tissue lipoproteins (77) 159
Transmural cholesterol flux (77) 239
Triacylglycerol (77) 1
Triacylglycerol transport (77) 15
Triglycerides (77) 25

Vegetable protein (77) 15
Vitamin D (77) 175
Vitamin E (77) 25
β-VLDL (77) 203

X-ray diffraction (77) 43

Young males (77) 131